

wilson  
&bradley

# CINETTO

SLIDING SYSTEMS



MADE IN ITALY



# CINETTO



**Founded in Italy in 1948, Cinetto has grown from a small hardware shop to become one of the world's leaders in the production of sliding systems and designer aluminium profiles.**

Using the most advanced production techniques, their history of manufacturing quality products allows them to develop products that not only look great but function effortlessly too.

The Cinetto range also includes industry leading technology in B-moved for electrical opening and closing of doors. B-moved ensures silent and safe movement of doors and is equipped with wave sensor and remote control capabilities.



# B-moved<sup>®</sup>



Introducing B-moved , market leading technology  
that transforms the way you experience spaces.






## B-moved<sup>®</sup> SMART TECHNOLOGY

**Exclusive to Wilson & Bradley, B-moved<sup>®</sup> is industry leading technology, that allows for the electronic opening and closing of doors on many different systems.**

B-moved ensures silent and safe movement of doors, and is equipped with wave sensor and remote control capabilities. It is also smart home compatible, allowing you to control your doors at the click of a button. It brings forth a new experience of sliding, and adds a creative edge to new projects or renovations.





# SMART TECHNOLOGY

## Overview

- Compatible with PIANO (PS40) and VOLO (PS48)
- Exclusive to Wilson & Bradley
- Electric system for opening and closing of wardrobe doors
- Activates with remote control or wave sensor
- Can connect to smart lights or other electronic devices
- Can connect with a proximity sensor and with “Home Assistant” systems

## Applications

- Wardrobes
- Storage cabinets
- Commercial applications
- Living room/TV cabinets

**B-moved**<sup>®</sup>

wilson  
&bradley  
Exclusive

## BASE (PS03)

### SLIDING SYSTEM FOR INTERNAL DOORS

The Cinetto BASE is a cost effective, simple to assemble, practical sliding system that can be used on a variety of applications such as a wardrobe, storage cabinets or overhead cabinets. The BASE uses a universal rebated top and bottom track with optional soft close features. This system is used for applications where the door sits inside the carcass.

#### Overview

- Cost effective system
- Easy to install
- Up to 20kg wooden and glass doors
- Available with soft close
- $\pm 1.5\text{mm}$  height adjustment



## VELOCE (PS06)

### SLIDING SYSTEM FOR HANGING DOORS

The Cinetto VELOCE is the perfect system for your wardrobe. Sitting concealed behind the pelmet, the doors hang on the top track and can be installed with optional soft close features. The VELOCE system can be installed with an optional bottom track for added stability and movement

#### Overview

- Easy to install
- To suit 18-50mm doors
- Up to 50kg wooden doors
- Available with soft close
- $\pm 5\text{mm}$  height adjustment



## INVISIBLE (PS08)

### SLIDING SYSTEM WITH INVISIBLE RAILS

The Cinetto INVISIBLE is exactly that, Invisible! With a rebated top and bottom track, this system allows you to create a clean-cut look where the track is not exposed, allowing your door fronts and application to be the centre of attention.

#### Overview

- Easy to install
- Rebated top and bottom track
- Able to suit any doors thicknesses. The only limitation is the weight of the door
- Up to 60kg wooden doors
- Available with soft-close
- +3 -2mm height adjustment



## LIBRO MAXI (PS11)

### SLIDING BI-FOLD SYSTEM

The Cinetto LIBRO MAXI sliding bi-fold system is a quality, Italian system, with performance that exceeds other systems in the market.

A sliding bi-fold system ideal for architects and designers who are constantly searching for the latest technology and innovative features for home design and functionality.

#### Overview

- Allows for creation of sliding systems with a completely flat façade.
- Flexibility to choose number of doors and configurations
- Doors can easily slide to either side
- Capacity up to 40kg per leaf
- Minimum door thickness: 16mm



## IDEA (PS22)

### ONE-WAY SLIDING SYSTEM

IDEA is a one-way sliding system that can be applied to the front of a diverse range of applications. Whether it is used on kitchen overheads, a TV setting or similar, the Cinetto IDEA provides flexibility, functionality and the endless ability to create unique designs.

#### Overview

- One-way sliding system for rails and front applied doors
- Possibility to create unique designs
- Optional soft-close
- Doors weight up to 20kg
- Minimum door thickness: 16mm



## LIBRO (PS23)


### BI-FOLD DOOR SYSTEM

The Cinetto LIBRO bi-fold door system with its premium Italian design creates a statement when added to any setting.

Whether used in wardrobes, European laundries or even pantries, the Cinetto LIBRO system operates as smooth as any other. Made from aluminium and operating on roller bearing slides, the system has options to suit 25kg and 50kg doors, and its sturdy aluminium design ensures that it is fit for any project.

#### Overview

- Cost effective system
- Suits timber or aluminium framed glass doors
- Can be used with no bottom guide rail
- Version to suit 25kg leaf and 50kg leaf
- Available in anodised or black componentry
- Min Door Width: 400mm





## PIANO (PS40)

### SLIDING SYSTEM FOR RETRACTABLE DOORS

The Cinetto PIANO coplanar system creates unique design possibilities with its aligned door panels which provide a completely flush look when closed. Cinetto's PIANO system allows you to create any type of combinations with 1,2 or 3 doors. The PIANO system is customisable and compatible with B-moved smart home technology.

#### Overview

- Aligned door panels which provide a completely flush look when in closed position
- Soft-opening and closing
- Can be used with up to 3 doors
- Compatible with B-moved technology
- Handle profiles available
- Door thickness: Min 16mm



Compatible with  
**B-moved**<sup>®</sup>

## VOLO (PS48)

### SLIDING SYSTEM FOR OVERLAPPING DOORS

Exclusive to Wilson and Bradley, the Cinetto VOLO sliding system for overlapping doors provides an industry standard in terms of quality Italian design.

The incredibly silent and smooth functionality, alongside the ability to be equipped with the Cinetto B-moved system, presents an industry first innovation.

#### Overview

- Sliding system for overlapping doors
- Frontal adjustment
- Smooth and silent functionality
- Compatible with B-moved technology
- Handle profiles available
- Door weights up to 80kg
- Door thickness: 18mm-32mm doors



Compatible with  
**B-moved**<sup>®</sup>

## AGILE (PS60)

### FLOOR SLIDING FOR SINGLE DOORS

Exclusive to Wilson and Bradley, the Cinetto AGILE floor sliding system presents another premium Italian design solution. Using the bottom rollers and soft close technology, the AGILE is easy to assemble, and provides effortless functionality. It can also accommodate heavy doors, allowing for more bespoke design options.

#### Overview

- Floor sliding system for single sided doors
- To suit wooden doors
- Handle profile available (to suit 18mm board)
- 1 or 2 way soft-close
- Weight capacity: 60kg per door



## MAGICO (PS66)

### SLIDING SYSTEM FOR RETRACTABLE DOORS

The Cinetto MAGICO allows you to obtain a clean and linear result thanks to innovative technology that works without upper and lower rails. The perfect application for walk-in closets or an entryway to a butler's pantry. It can also be used to convert one space into two separate rooms.

#### Overview

- Designed to suit 25 - 40mm doors
- Up to 50kg wooden doors
- Soft-close
- $\pm 3$ mm height adjustment



## DOOR STRAIGHTENER

### CINETTO ACCESSORIES

The Cinetto Door Straightener System allows for creativity and flexibility in customising your sliding door system. The system works in conjunction with thin wooden boards to stop the board from bowing once installed.

#### Overview

- Compatible with systems LIBRO MAXI (PS11), PIANO (PS40), VOLO (PS48) and AGILE (PS60)
- For use with wooden board
- Door straightening kit for 1 door
- 35mm cup drilling
- Finish: Grey or Black




## HANDLE PROFILE

### CINETTO ACCESSORIES

Available for the Cinetto Sliding Systems is a range of Aluminium profile handles, available in a variety of applications.

#### Overview

- Suitable for wooden doors
- Cut to customised heights
- To suit Piano (PS40), Volo (PS48) & Agile (PS60)



# RANGE SELECTION GUIDE



FUNCTION	BI-FOLDING				BOTTOM ROLLING			
PRODUCT NAME	PS11	PS23	PS23	PS23	PS03	PS03	PS22	PS60
	LIBRO MAXI	LIBRO (w bottom track)	LIBRO (w/o bottom track)	LIBRO mini	BASE (Glass)	BASE (Timber)	IDEA	AGILE
VISUAL DESCRIPTION								
FUNCTION	Sliding Bi-Fold System Not fixed to the end of the cabinet	Bi-Fold System Fixed to the cabinet end	Bi-Fold System Fixed to the cabinet end	Bi-Fold System Fixed to the cabinet end	Sliding System for Internal Doors	Sliding System for Internal Doors	One Way Sliding System for Frontally Applied Doors	Bottom Rolling Sliding System for Single Sided Doors
MAX DOOR HEIGHT	3000mm	3000mm	2400mm	2100mm	1200mm	1200mm	1200mm	3000mm
DOOR THICKNESS	Min 16 & 18mm with Vertical Adjustment	16mm-35mm	16mm-35mm	16mm-35mm	5mm	16mm-50mm	16mm	18mm
DOOR WIDTH	600-1000mm per leaf	400-1200mm per leaf	400-900mm per leaf	400-900mm per leaf	400mm-1200mm	400mm-1200mm	Any - must be wider than the height	Min 500-790mm Minimum dependent on door quantity & soft close
WEIGHT CAPACITY	40kg per double door set	50kg per double door set	50kg per double door set	25kg per double door set	20kg per door	20kg per door	20kg per door	60kg per door
MAX DOOR/LEAF QTY	5 leaves per track	1 leaf per side	1 leaf per side	1 leaf per side	-	-	-	4 doors
SOFT CLOSE	No	Yes Using soft close hinges	Yes Using soft close hinges	Yes Using soft close hinges	No	Yes	Yes	Yes
TRACK LENGTH	3050mm	2m or 3050mm	2m or 3050mm	2m or 3050mm	3050mm	3050mm	3050mm	3050mm
B-moved <sup>®</sup> COMPATIBLE	No	No	No	No	No	No	No	No

## BI-FOLDING



## BOTTOM ROLLING



# RANGE SELECTION GUIDE



FUNCTION	TOP HUNG					RETRACTING
PRODUCT NAME	PS06	PS08	PS40	PS48	PS48	PS66
	VELOCE	INVISIBLE	PIANO	VOLO Soft close	VOLO No soft close	MAGICO
VISUAL DESCRIPTION						
FUNCTION	Sliding System for Hanging Doors	One Way Sliding System with Invisible Tracks	Coplanar Door System (Flush Doors)	Sliding System for Overlapping Doors	Sliding System for Overlapping Doors	Sliding System for Retractable Doors
DOOR HEIGHTS	2500mm	2800mm	3000mm	3000mm	3000mm	2400mm-2700mm
DOOR THICKNESS	18mm-50mm	-	16mm-43mm 55mm including handles	18mm-32mm	18mm-32mm	25mm-40mm
DOOR WIDTH	500mm-1400mm	450mm-1400mm	890mm-1800mm	400mm (1 way soft close) 760mm (2 way soft close)	400mm	600mm-1000mm
WEIGHT CAPACITY	50kg per door	60kg per door	45kg-60kg per door depending on configuration	80kg per door	80kg per door	50kg per door
MAX DOOR QTY	Up to 3 per unit	-	Up to 3	Up to 4	Up to 4	1
SOFT CLOSE	Yes	Yes	Yes	Yes	Yes	Yes
TRACK LENGTH	3050mm	3050mm	2m or 4m	2m or 4m	2m or 4m	-
<b>B-moved</b> COMPATIBLE	No	No	Yes	Yes	Yes	No

## TOP HUNG



## RE-TRACTING





**Instagram:**  
@wilsonandbradley



**Facebook:**  
Wilson & Bradley



**YouTube:**  
@wilsonandbradley



**TikTok:**  
@wilsonandbradley



**Pinterest**  
@wilsonandbradley



**ArchiPro:**  
@wilsonandbradley

**Melbourne**

94 Bell Street  
Preston VIC 3072

**Sydney**

Unit 4, 3 Basalt Road  
Greystanes NSW 2145

**Perth**

19 Christable Way  
Landsdale WA 6065

**Brisbane**

Building 4.1, Logrunner Place  
Willawong QLD 4110

**Adelaide**

9/20 Cheltenham Parade  
Woodville SA 5011

**Tasmania**

Ph: 1800 633 507

Contact us for more information on any of our products, or visit our website for instructional videos, promotions and manuals.

**Wilson & Bradley Pty Ltd**

**Support**

1800 633 507  
sales@wilbrad.com.au

**Online Store**

wilbrad.com.au

wilson  
&bradley

Scan the QR code to  
view our interactive  
brochures online.

